

Technical Features

NE

FOS

TE
CH
IN
DE
X

Nefos

Area Tecnica
Technical Area
3

lavorazioni
processings

Poleasy
4

finiture e colori
finishes and colors

IL
illuminable
5

AREA TECNICA

Technical Area

Misure H32 x L122 x W69 cm
Measures

Distanza soffitto 63,5-93,5 cm
Ceiling distance

Finiture IL
Finishing

Luce 2 x E27 32W light bulb
Light

Nefos Medium
Nefos Medium




Misure H36 x L170 x W82,5 cm
Measures

Distanza soffitto 63,5-93,5 cm
Ceiling distance

Finiture IL
Finishing

Luce 3 x E27 32W light bulb
Light

Nefos Large
Nefos Large



PO
LE
AS
Y[®]

Non sono solo il design e le tecnologie a fare la differenza nei prodotti MYYOUR: anche per quanto riguarda i materiali l'azienda padovana oggi è in grado di esprimere il massimo grazie a un nuovo polietilene speciale denominato Poleasy, messo a punto attraverso un lavoro di ricerca durato anni con l'obiettivo di eliminare quelle microporosità superficiali responsabili della formazione di antiestetiche patine e, nel tempo, anche di possibili fessurazioni.


Poleasy, risolve definitivamente il problema garantendo alle creazioni MYYOUR superfici più compatte e performance davvero uniche in fatto di durata, lavabilità e brillantezza dei colori.

Design and technology are not the only factors that make the difference in MYYOUR products: also because, as far as the materials are concerned, this company, which is based in Padua, Italy, is able to fully express itself thanks to a new and special type of polyethylene called Poleasy.

Poleasy was developed after long years of research. In fact our research was focused on finding a way to eliminate the microporous surfaces that are responsible for the formation of anti-aesthetic patinas or cracks over time.

Poleasy, has entirely solved this problem by ensuring compactness to the surfaces of MYYOUR's creations and a better performance in terms of durability, washability and color brightness.

ILL
UM
IN
AB
LE



transparent 110



yellow 612



orange 388



orange 822



red 204



lilac 404



light blue 5513



green 662

